APPENDIX A EXCEPTIONAL EVENT INITIAL NOTIFICATION

EE Initial Notification Summary Information

Submitting Agency: Clark County Department of Environment and Sustainability

Agency Contact: Mike Sword, Planning Manager

Date Submitted: November 30, 2020 Applicable NAAQS: 2015 8-hour Ozone

Affected Regulatory Decision: 1 Attainment status

Area Name/Designation Status: Las Vegas Valley Nonattainment Area

Design Value Period: 2018-2020

A) Information specific to each flagged site day that may be submitted to EPA in support of the affected regulatory decision listed above

Date of Event	Type of Event	AQS Flag	Site AQS ID	Site Name	Exceedance Concentration (ppb)	Notes (e.g. event name, links to other events)
06/19/2018	Wildfire	RT	32-003-0298	Green Valley	77	Transport of smoke from the Planada Fire (CA) and Upper Colony
		RT	32-003-0043	Paul Meyer	72	Fire (NV) to Clark County. Green Valley and Jerome Mack recorded the fourth highest 8-hour average O3 in 2018.
		RT	32-003-0071	Walter Johnson	72	recorded the round highest o-hour average 65 in 2010.
06/20/2018	Wildfire	RT	32-003-0075	Joe Neal	72	This exceedance correlated with the June 19 event and was
	•	RT	32-003-0043	Paul Meyer	71	impacted by the Planada Fire (CA) and Upper Colony Fire (NV).
		RT	32-003-0071	Walter Johnson	74	
06/23/2018	Wildfire	RT	32-003-0298	Green Valley	75	Transport of smoke from the Jack Knife Fire (OR), Boxcar Fire
		RT	32-003-0075	Joe Neal	72	(OR), Graham Fire (OR), Lions Fire (CA), and some additional fires in northern California. Walter Johnson recorded the fourth
		RT	32-003-0043	Paul Meyer	72	highest 8-hour average O3 in 2018.
		RT	32-003-0071	Walter Johnson	76	
06/27/2018	Wildfire	RT	32-003-0298	Green Valley	78	Transport of smoke from the Lions Fire, Pawnee Fire, and Lane
		RT	32-003-0075	Joe Neal	72	Fire in California, and some ongoing large fires in Oregon and
		RT	32-003-0043	Paul Meyer	75	Mexico. Green Valley recorded the highest 8-hour average O3 in 2018.
		RT	32-003-0071	Walter Johnson	76	2010:
07/14/2018	Wildfire	RT	32-003-0298	Green Valley	78	Transport of smoke from the Ferguson Fire (CA), Georges Fire
		RT	32-003-0043	Paul Meyer	72	(CA), Valley Fire (CA), Mohave Fire (CA), Mexico fires, and West Valley Fire (UT). Green Valley recorded the third highest 8-hour average O3 in 2018.

Date of Event	Type of Event			Exceedance Concentration (ppb)	Notes (e.g. event name, links to other events)	
07/45/00 40)	D.T.	00.000.000		70	
07/15/2018	Wildfire	RT	32-003-0298	Green Valley	73	This exceedance correlated with the July 14 event. Joe Neal recorded the second highest 8-hour average O3 in 2018.
	_	RT	32-003-0075	Joe Neal	78	recorded the second highest o-notificated age 65 in 2010.
		RT	32-003-0071	Walter Johnson	71	
07/16/2018	Wildfire	RT	32-003-0298	Green Valley	71	This exceedance correlated with the July 14 event. Walter
		RT	32-003-0075	Joe Neal	80	Johnson recorded the highest 8-hour average O3 in 2018.
		RT	32-003-0043	Paul Meyer	75	
		RT	32-003-0071	Walter Johnson	79	
07/17/2018	Wildfire	RT	32-003-0043	Paul Meyer	74	This exceedance correlated with the July 14 event. Walter
07/17/2010	VVIIdTII E	RT	32-003-0043	Walter Johnson	77	Johnson recorded the third highest 8-hour average O3 in 2018.
		IXI	32-003-0071	Waiter Johnson	11	
07/25/2018	Wildfire	RT	32-003-0298	Green Valley	72	Regional smoke created by the Ferguson Fire, Georges Fire,
		RT	32-003-0043	Paul Meyer	71	Lions Fire, and Cranston Fire in California, and additional fires in Mexico.
		RT	32-003-0071	Walter Johnson	72	INEXICO.
07/26/2018	Wildfire	RT	32-003-0298	Green Valley	77	This exceedance correlated with the July 25 event.
	-	RT	32-003-0043	Paul Meyer	72	·
		RT	32-003-0071	Walter Johnson	75	
07/07/0040) A (1) 1 (2)		00.000.0075		70	
07/27/2018	Wildfire	RT	32-003-0075	Joe Neal	76	This exceedance correlated with the July 25 event. Joe Neal recorded the fourth highest 8-hour average O3 in 2018.
	_	RT	32-003-0043	Paul Meyer	72	Treserved the real trinighest of hear average so in 2016.
		RT	32-003-0071	Walter Johnson	74	
07/30/2018	Wildfire	RT	32-003-0298	Green Valley	73	Regional smoke created by the Carr Fire, Mendocino Complex Fire, Whaleback Fire, Ferguson Fire, Lions Fire, Georges Fire, and Cranston Fire in California.
07/31/2018	Wildfire	RT	32-003-0075	Joe Neal	73	This exceedance correlated with the July 30 event.
		RT	32-003-0071	Walter Johnson	73	
08/06/2018	Wildfire	RT	32-003-0298	Green Valley	74	Regional smoke created by the ongoing Carr Fire, Mendocino
	<u> </u>	RT	32-003-0075	Joe Neal	76	Complex Fire, Ferguson Fire, Lions Fire, and an additional new

Date of Event	Flag Concen		Exceedance Concentration (ppb)	Notes (e.g. event name, links to other events)							
		RT	32-003-0043	Paul Meyer	79	fire, Donnell. Paul Meyer and Walter Johnson recorded the first					
		RT	32-003-0071	Walter Johnson	77	and second highest 8-hour average O3 in 2018, respectively.					
08/07/2018	Wildfire	RT	32-003-0298	Green Valley	72	This exceedance correlated with the August 6 event.					
00/07/2010	vviidili e			Joe Neal	74	This exceedance correlated with the August o event.					
		RT	32-003-0075	5 2 2 1 1 2 2 11							
	-	RT RT	32-003-0043 32-003-0071	Paul Meyer Walter Johnson	73 74						
		Kı	32-003-0071	vvailer Johnson	74						
05/06/2020	Stratospheric	RO	32-003-0298	Green Valley	72	An upper-level, ozone-rich air mass was observed to the west of					
	Intrusion	RO	32-003-0075	Joe Neal	76	Clark County in the days leading up to this event. Descending					
		RO	32-003-0043	Paul Meyer	77	transport was observed between the upper-level air mass and monitoring sites in Clark County.					
	-	RO	32-003-0071	Walter Johnson	78	maining the in thank county.					
05/09/2020	Stratospheric RT Intrusion		32-003-0043	Paul Meyer	74	An upper-level, ozone-rich air mass was observed to the southwest of Clark County in the days leading up to this event					
	IIII USIOII	RT	32-003-0071	Walter Johnson	71	Transport was observed between the upper-level air mass and monitoring sites in Clark County.					
05/28/2020	Stratospheric	RO	32-003-0043	Paul Meyer	76	An upper-level, ozone-rich air mass was observed over Clark					
00/20/2020	Intrusion	RO	32-003-0071	Walter Johnson	71	County and to the south of Clark County in the days leading up to					
		NO	02-000-0071	Walter Commodif		and on the day of this event. A large mixing layer and descending transport were observed from the upper-level air mass to monitoring sites in Clark County.					
06/22/2020	Wildfire	RT	32-003-0075	Joe Neal	78	The Manpah Fire was observed in the Mojave National Preserve on the day of this event, with a smoke plume intersecting Clark					
		RT	32-003-0043	Paul Meyer	74	County. Other regional fires that are likely to have been influential					
		RT	32-003-0071	Walter Johnson	73	during this event: Grade Fire (CA), Magnum Fire (AZ), Bush Fire (AZ), and Bighorn Fire (AZ).					
00/00/00 = =	NAME (5)		00.000.001	5							
06/26/2020	Wildfire	RT	32-003-0043	Paul Meyer	73	Transport from the Rock Path Fire (UT), Tw in Fire (NV), and Miller Fire (NV) was seen during this event. The Thermal Mulch Fire (CA) may also have played a role.					
08/03/2020	Wildfire	RT	32-003-0298	Green Valley	72	Direct transport of smoke from the Apple Fire in southern California was seen during this event.					
		RT	32-003-0075	Joe Neal	81	Camorna was secretaring this event.					

Date of Event	Type of Event	AQS Flag	Site AQS ID	Site Name	Exceedance Concentration (ppb)	Notes (e.g. event name, links to other events)
		RT	32-003-0043	Paul Meyer	78	
		RT	32-003-0071	Walter Johnson	82	
08/07/2020	Wildfire	RT	32-003-0075	Joe Neal	72	Direct transport of smoke from the Apple Fire in southern
00/01/2020	VVIIdTII C	RT	32-003-0073	Walter Johnson	71	California was seen during this event.
8/18/2020	Wildfire	RT	32-003-0075	Joe Neal	78	Regional smoke created by large fire complexes in CA influenced
0/ 10/2020	-	RT	32-003-0043	Paul Meyer	79	the 8/18–8/21/2020 events in Clark County: Red Salmon
		RT	32-003-0071	Walter Johnson	82	Complex, August Complex, LNU Lightning Complex, SCU Lightning Complex, CZU Lightning Complex, Lake Fire, River Fire, Carmel Fire, North Range Fire, and Dome Fire. Other possible fires affecting regional smoke include: Cold Springs Fire, North Complex, Loyalton Fire, and Dolan Fire (all in CA).
08/19/2020	Wildfire	RT	32-003-0298	Green Valley	71	Regional smoke created by large fire complexes in CA influenced
00/10/2020	- VVIIGITIO	RT	32-003-0075	Joe Neal	73	the 8/18–8/21/2020 events in Clark County: Red Salmon
	ŀ	RT	32-003-0043	Paul Meyer	74	Complex, August Complex, LNU Lightning Complex, SCU Lightning Complex, CZU Lightning Complex, Lake Fire, River
		RT	32-003-0071	Walter Johnson	74	Fire, Carmel Fire, North Range Fire, and Dome Fire. Other possible fires affecting regional smoke include: Cold Springs Fire, North Complex, Loyalton Fire, and Dolan Fire (all in CA).
00/00/0000	VARIATE:	DT	00 000 0075	La a Maral	74	Desired and the last first first in CA inflant
08/20/2020	Wildfire	RT	32-003-0075	Joe Neal	71	Regional smoke created by large fire complexes in CA influenced the 8/18–8/21/2020 events in Clark County: Red Salmon Complex, August Complex, LNU Lightning Complex, SCU Lightning Complex, CZU Lightning Complex, Lake Fire, River Fire, Carmel Fire, North Range Fire, and Dome Fire. Other possible fires affecting regional smoke include: Cold Springs Fire, North Complex, Loyalton Fire, and Dolan Fire (all in CA).
08/21/2020	Wildfire	RT	32-003-0043	Paul Meyer	71	Regional smoke created by large fire complexes in CA influenced the 8/18–8/21/2020 events in Clark County: Red Salmon Complex, August Complex, LNU Lightning Complex, SCU Lightning Complex, CZU Lightning Complex, Lake Fire, River Fire, Carmel Fire, North Range Fire, and Dome Fire. Other possible fires affecting regional smoke include: Cold Springs Fire, North Complex, Loyalton Fire, and Dolan Fire (all in CA).
09/02/2020	Wildfire	RT	32-003-0043	Paul Meyer	73	

Date of Event	Type of Event	AQS Flag	Site AQS ID	Site Name	Exceedance Concentration (ppb)	Notes (e.g. event name, links to other events)
		RT	32-003-0071	Walter Johnson	75	Smoke created by the Evans Canyon Fire (WA), White River Fire (OR), and Lionshead Fire (OR) was transported to the Clark County area, resulting in this event. Other fires in CA that are likely to have contributed to this event: Slink Fire, SQF Lightning Complex, Dolan Fire, North Complex, SCU Lightning Complex, August Complex, and Red Salmon Complex.
09/26/2020	Wildfire	RT	32-003-0075	Joe Neal	75	Large fire complexes in CA led to regional smoke affecting Clark
		RT	32-003-0071	Walter Johnson	71	County during this event: Red Salmon Complex, August Complex, North Complex, SQF Lightning Complex, Blue Jay/Wolf Fires, Creek Fire, Bobcat Fire, 🛭 Dorado Fire, and (possibly) the Slater/Devil Fires.

B) Violating Sites Information

(Listing of all violating sites in the planning area, regardless of operating agency, and regardless of whether or not they are impacted by Es)

Site/monitor (AQS ID and POC)	Design Value (<u>without</u> EPA concurrence on any of the events listed in Table A above) (ppb)	Design Value (<u>with</u> EPA concurrence on all events listed in Table A above) (ppb)
Green Valley (32-003-0298, POC: 1)	72 (2020 preliminary)	70
Joe Neal (32-003-0075, POC: 1)	74 (2020 preliminary)	69
Paul Meyer (32-003-0043, POC: 1)	73 (2020 preliminary)	70
Walter Johnson (32-003-0071, POC: 1)	73 (2020 preliminary)	70

C) Summary of Maximum Design Value (DV) Site Information (Effect of EPA Concurrence on Maximum Design Value Site Determination) (Two highest values from Table B)

Maximum DV site (AQS ID) without EPA concurrence on any of the events listed in table A above	Design Value	Design Value Site	Comment
	74	Joe Neal (32-003-0075, POC: 1)	
Maximum DV site (AQS ID) with EPA concurrence on all events listed in table A above	Design Value	Design Value Site	Comment
	70	Green Valley (32-003-0298, POC: 1) Paul Meyer (32-003-0043, POC: 1) Walter Johnson (32-003-0071, POC: 1)	Maximum DV at all 3 sites is same.

D) List of any sites (AQS ID) within planning area with invalid design values (e.g., due to data incompleteness)

The Department of Environment and Sustainability does not anticipate any sites having invalid design values for the 2018–2020 design value period; however, final data for 2020 is still being collected and pending year-end submission.

APPENDIX B

PUBLIC NOTIFICATION

Real-time air quality data, Air Quality Index (AQI) maps, daily air quality forecasts, and event notifications are available on the DES website (https://clarkcountynvairquality.meteostar.com). Air quality forecasts and current data are also available through EPA's AirNow and EnviroFlash systems. DES issues air quality advisories and alerts to warn the public and regulated community if unhealthy levels of a regulated pollutant are anticipated, and to provide recommendations on reducing exposure and emissions. Advisories are issued when forecast conditions are favorable for pollutant levels to exceed the NAAQS, i.e., to reach the Unhealthy for Sensitive Groups (USG) level on the AQI, or when public health and safety might be in danger. Alerts are issued when air quality levels have already reached the AQI USG level or are expected to.


AQI for July 25-27, 2018


	R	eporting fo	r July	25, 2	2018	3	July		25 V	2018	∨ S	elect a Dif	ferent Dat	е						
											Air	Quality	Index							
Metropolitan Area	Air Ovelity Betieve	Critical		Oz	one			Carbon Monoxide		Sulfur Dioxide		Nitrogen Dioxide		PM-10 (Std Cond)		PM-2.5 (Lcl Acpt)		PM-2.5 (Lcl Cond)		
Non-Metropolitan County	Air Quality Rating	Pollutant	1-H	lour	8	-Hou	r	8-H	our	1-H	lour	1-H	lour	2	24-Hour	24	I-Hour	24	l-Hour	
,			AQI	ppb	AC	JI pi	ob A	AQI	ppm	AQI	ppb	AQI	ppb	AQI	μg/m³ (25° C)	AQI	μg/m³ LC	AQI	μg/m³ LC	
Clark County Regio	n 1																			
Apex	Moderate	Ozone	*	78	93	3 6	8													
Boulder City	Moderate	Ozone	★	65	74	4 6	2							19	20.35					
Greater Las Vegas	Unhealthy for sensitive groups	Ozone	*	90	10	4 7	2	4	0.331	1	0.8	45	48.1	23	25.16			34	8.45	
Indian Springs	Good	Ozone	*	58	50	0 5	4													
<u>Jean</u>	Moderate	Ozone	*	67	84	4 6	5							18	19.10			21	5.14	
Mesquite	Moderate	Ozone	×	61	64	4 5	9													
						Ret	urn to		AQI Rep			ir Qualit								
Monitoring Sites in the		Critical			Ozone				arbon noxide	Sulfur Dioxide		Nitrogen Dioxide		PM-10 (Std Cond)		PM-2.5 (Lcl Acpt)			PM-2.5 (Lcl Cond)	
Greater Las Vegas Metro Area	Air Quality Rating	Pollutant		1-Hou	ır	8-H	our	8-	-Hour	1	-Hour	1-	Hour		24-Hour	2	4-Hour	24	l-Hour	
Metro Area			А	QIp	pb	AQI	ppb	AQI	ppm	AQ	l ppt	AQI	ppb	AQ	μg/m³ (25° C)	AQI	μg/m³ LC	AQI	μg/m³ LC	
Clark County	Unhealthy for sensitive groups	Ozone		* (90	104	72	4	0.331	1	0.8	45	48.1	23	25.16			34	8.45	
Casino Center	Good	Nitrogen Dioxide										45	48.1							
Green Valley	Unhealthy for sensitive groups	Ozone	-	* 8	30	104	72							19	20.82			24	6.03	
Jerome Mack	Moderate	Ozone		* 7	79	100	70			1	0.8	33	34.5					34	8.45	
Joe Neal	Moderate	Ozone		* [8	35	100	70					8	8.1	10	11.19			19	4.70	
Palo Verde	Moderate	Ozone		* 8	32	93	68							20	21.81					
Paul Meyer	Unhealthy for sensitive groups	Ozone		* 8	39	101	71							22	23.81			25	6.31	
Rancho & Teddy	Good	Nitrogen Dioxide						4	0.331			36	38.3					25	6.29	
Sunrise Acres	Good	Nitrogen Dioxide						0	NV			40	42.9	23	25.16			24	5.91	
Walter Johnson	Unhealthy for sensitive groups	Ozone		* (90	104	72							20	21.86					


	R	eporting fo	r July	26,	2018	3	July			2018	∨ s	elect a Di	ferent Da	e					
											Air	Quality	Index						
Metropolitan Area or	Air Quality Rating	Critical	Ozon			ne			Carbon Monoxide		fur cide		ogen xide	PM-10 (Std Cond)		PM-2.5 (Lcl Acpt)		PM-2.5 (Lcl Cond)	
Non-Metropolitan County	Air Quality Rating	Pollutant	1-H	lour	8	-Но	ur	8-H	lour	1-H	our	1-H	lour	2	4-Hour	2	4-Hour	2	4-Hour
County			AQI	ppt	AC	QI p	opb	AQI	ppm	AQI	ppb	AQI	ppb	AQI	μg/m³ (25° C)	AQI	μg/m³ LC	AQI	μg/m³ LC
Clark County Regio	n 1																JL		1
Apex	Unhealthy for sensitive groups	Ozone	*	78	10)1	71												
Boulder City	Moderate	Ozone	*	66	74	4	62							22	23.84				
Greater Las Vegas	Unhealthy for sensitive groups	Ozone	*	88	12	22	77	4	0.322	2	1.1	42	44.9	25	26.89			40	9.85
Indian Springs	Moderate	Ozone	*	60	5	8	57												
<u>Jean</u>	Moderate	Ozone	*	65	8	0	64							23	25.16			28	6.97
<u>Mesquite</u>	Moderate	Ozone	*	65	74	4	62												
Monitoring Sites in the Greater Las Vegas	he Air Quality Pating				Ozo			M	Carbon onoxide	Di	ulfur oxide	Di	rogen oxide	(S	PM-10 td Cond)	(L	PM-2.5 cl Acpt)	(Lo	PM-2.5 cl Cond)
Metro Area		Pollutant		I-Ho			Hour		3-Hour		Hour		Hour		24-Hour μg/m³		4-Hour μg/m³		4-Hour μg/m³
			A	QI	opb	AQI	ppb	AQ	ppm	AQI	ppb	AQI	ppb	AQI	(25° C)	AQI	LC	AQI	LC
Clark County	Unhealthy for sensitive groups	Ozone	,		88	122	77	4	0.322	2	1.1	42	44.9	25	26.89			40	9.85
Casino Center	Good	Nitrogen Dioxide										42	44.9						
Green Valley	Unhealthy for sensitive groups	Ozone	,	*	87	122	77							24	26.22			31	7.60
Jerome Mack	Unhealthy for sensitive groups	Ozone	,	•	84	122	77			2	1.1	38	39.8					40	9.85
Joe Neal	Moderate	Ozone			81	100	70					9	9.4	11	11.99			21	5.14
Palo Verde	Moderate	Ozone			79	100	70							21	23.21				
Paul Meyer	Unhealthy for sensitive groups	Ozone		•	80	104	72							25	26.89			31	7.60
Rancho & Teddy	Good	Nitrogen Dioxide						3	0.254			42	44.3					29	7.11
Sunrise Acres	Good	Nitrogen Dioxide						4	0.322			40	42.9	23	25.07			26	6.42
Walter Johnson	Unhealthy for sensitive groups	Ozone	,	*	88	115	75							23	24.39				

	R	eporting for	July	27, 2	018	Jul			201	8 🗸	Select a	Different	Date					
										Air (Quality	Index						
Metropolitan Area	Air Quality Rating	Critical		Oze	one		Carbon Monoxide		Sulfur Dioxide		Nitrogen Dioxide		100,000	PM-10 d Cond)	PM-2.5 (Lcl Acpt)		PM-2.5 (Lcl Cond)	
Non-Metropolitan County		Pollutant	1-H	our	8-H	our	8-H	lour	1-H	our	1-H	our	24	4-Hour	24	l-Hour	24	l-Hour
County			AQI	ppb	AQI	ppb	AQI	ppm	AQI	ppb	AQI	ppb	AQI	μg/m³ (25° C)	AQI	μg/m³ LC	AQI	μg/m³ LC
Clark County Reg	ion 1																	
Apex	Moderate	Ozone	*	79	97	69												
Boulder City	Moderate	Ozone	*	58	54	56							28	29.93				
Greater Las Vegas	Unhealthy for sensitive groups	Ozone	*	89	118	76	5	0.429	1	0.8	49	51.5	33	35.83			59	16.11
Indian Springs	Moderate	Ozone	*	60	61	58												
<u>Jean</u>	Moderate	Ozone	*	70	87	66							32	34.14			54	13.71
Mesquite	Moderate	Ozone	*	65	77	63												
					K	eturn	to Mail	n AQI Re	port	Air	Quality	Index						
Monitoring Sites					zone		С	arbon	Si	Air ulfur	1	Index		PM-10	Р	M-2.5	Р	M-2.5
in the Greater Las Vegas	Air Quality Rating	Critical Pollutant					-	noxide	-	oxide	-	Dioxide (Std Cond)			<u> </u>	(Lcl Acpt) (Lcl Cond)		
Metro Area		Foliutant	1.	-Hour	8-	Hour		-Hour	1-	Hour	1-1	lour	2	4-Hour μg/m³	24	μg/m³		
			AC)l ppl	b AQ	ppb	AQI	ppm	AQI	ppb	AQI	ppb	AQI	(25° C)	AQI	LC	AQI	LC
Clark County	Unhealthy for sensitive groups	Ozone	*	89	118	76	5	0.429	1	0.8	49	51.5	33	35.83			59	16.11
Casino Center	Good	Nitrogen Dioxide									49	51.5						
Green Valley	Moderate	Ozone	*	71	80	64							28	30.48			46	11.37
Jerome Mack	Moderate	Ozone	*	71	87	66			1	0.8	32	33.8					59	16.11
Joe Neal	Unhealthy for sensitive groups	Ozone	*	89	118	76					13	14.2	16	17.22			36	8.82
Palo Verde	Moderate	Ozone	*	80	100	70							25	26.94				
Paul Meyer	Unhealthy for sensitive groups	Ozone	*	81	104	72							31	33.20			44	11.00
Rancho & Teddy	Good	Nitrogen Dioxide					5	0.429			47	49.3					46	11.29
Sunrise Acres	Good	PM-2.5					4	0.322			42	44.5	33	35.83			45	11.23
Walter Johnson	Unhealthy for sensitive groups	Ozone	*	85	112	74							27	28.69				

AQI maps for July 14–17, 2018







Air Quality Forecast

AIR QUALITY FORECAST

Ozone Advisory Extended Through Wednesday

Forecast

(Updated 7/25/2018)

	Ozone	Carbon Monoxide	Dust/Smoke/Soot
Wed (7/25/2018)	UNH-SG	Good	Good
Thu (7/26/2018)	Moderate	Good	Good
Fri (7/27/2018)	Moderate	Good	Good
Sat (7/28/2018)	Moderate	Good	Good
Sun (7/29/2018)	Moderate	Good	Good

From our Meteorologists:

No change to weather pattern resulting in fair weather and a chance of isolated thunderstorms for our area. For now, expect a day of an AQ in the Unhealthy for Sensitive Groups as we will re-evaluate weather pattern tomorrow as High is forecasted to shift. -- You can follow Clark County air quality conditions and updates on Twitter: @CCAirQuality. --

More Detailed Monitoring Information What is an Air Quality Advisory or Alert?

Other questions or comments?

Paul Fransioli: (702) 455-2656 Paul.Fransioli@ClarkCountyNV.gov

Jose Chaverria: (702) 455-1633 Jose Chaverria@clarkcountynv.gov

AIR QUALITY FORECAST

Seasonal Ozone Advisory Issued Through Sept. 30

Forecast

(Updated 7/26/2018)

	Ozone	Carbon Monoxide	Dust/Smoke/Soot
Thu (7/26/2018)	Moderate	Good	Good
Fri (7/27/2018)	Moderate	Good	Good
Sat (7/28/2018)	Moderate	Good	Good
Sun (7/29/2018)	Moderate	Good	Good
Mon (7/30/2018)	Moderate	Good	Good

From our Meteorologists:

Persisting ridge over the southwestern US keeps bringing in humid air that is helping raise ozone levels. However, elevated levels of ozone look to be hampered by afternoon thunderstorms which will keep the AQI in the Moderate level, just below the Unhealthy for Sensitive Groups level. -- You can follow Clark County air quality conditions and updates on Twitter: @CCAirQuality. --

More Detailed Monitoring Information What is an Air Quality Advisory or Alert?

Other questions or comments?

Paul Fransioli: (702) 455-2656 Paul.Fransioli@ClarkCountyNV.gov

Jose Chaverria: (702) 455-1633 Jose Chaverria@clarkcountynv.gov

AIR QUALITY FORECAST

Ozone Advisory for Friday Through Sunday

Forecast

(Updated 7/27/2018)

	Ozone	Carbon Monoxide	Dust/Smoke/Soot
Fri (7/27/2018)	UNH-SG	Good	Good
Sat (7/28/2018)	UNH-SG	Good	Good
Sun (7/29/2018)	UNH-SG	Good	Good
Mon (7/30/2018)	Moderate	Good	Good
Tue (7/31/2018)	Moderate	Good	Good

From our Meteorologists:

High pressure to dominate through the forecast period with fair weather conditions which will allow for the transport of smoke from the California wildfires into the Vegas Valley. With weather conditions already favoring local ozone production, expect the wildfire smoke to be a contributing factor in pushing ozone levels into the Unhealthy for Sensitive Groups level through the weekend. -- You can follow Clark County air quality conditions and updates on Twitter: @CCAirQuality. --

More Detailed Monitoring Information What is an Air Quality Advisory or Alert?

Other questions or comments?

Paul Fransioli: (702) 455-2656 Paul Fransioli@ClarkCountyNV.gov

Jose Chaverria: (702) 455-1633 Jose.Chaverria@clarkcountynv.gov

Air Quality Advisory



News Release

County Commission: Steve Sisolak, Chairman Chris Giunchigliani, Vice Chair Susan Brager Lany Brown James B. Gibson Manlyn Krkpathick

olanda King, County Manager

Office of Public Communications • (702) 455-3546 • FAX (702) 455-3558 •

Contact: Kevin J MacDonald Public Information Officer

For Immediate Release

Phone: Mobile: (702) 455-6131 (702) 232-0931 keymac@ClarkCountyNV.gov

Tuesday, July 24, 2018

Ozone Advisory Extended Through Wednesday

The Clark County Department of Air Quality is extending its current advisory for ground-level ozone pollution to continue through Wednesday, July 25. The original ozone advisory was set to expire today.

Ozone is a colorless gas that exists naturally in the Earth's upper atmosphere. At ground level, ozone is a key ingredient of urban smog that can build up during the day in the hottest months of the year because of strong sunlight, hot temperatures, gasoline and chemical vapors,



and pollutants from automobiles, wildfires and regional transport. Exposure to ozone can irritate your respiratory system and cause coughing, a sore throat, chest pain and shortness of breath even in healthy people, according to the EPA.

HELPFUL TIPS TO REDUCE OZONE

Because cars, trucks and other vehicles are major contributors to ozone, people can follow these helpful, everyday tips to reduce ozone:

- Reduce driving combine errands into one trip.
- · Don't idle your car engine unnecessarily.
- Use mass transit or carpool.
- Fill up your gas tank after sunset. Try not to spill gasoline when filling up and don't top off your tank.
- Keep your car well maintained.
- Consider landscaping that uses less water and gas-powered equipment to maintain.
- Turn off lights and electronics when not in use. Less fuel burned at power plants means cleaner air.

Also, if you have respiratory issues or other health concerns, consider these tips during ozone season:

- Reduce the time you are active outdoors when ozone levels are elevated, especially if you are engaged in a strenuous activity or have a respiratory disease.
- Schedule activities for the morning or evening when ozone levels are usually lower.
- Substitute a less intense activity walking instead of jogging, for example.
- Always consult your doctor first for medical advice.

[more]

Clark County news releases may be found at www.ClarkCountyNV.gov.

You may also follow the County on more than 40 social media sites, including Facebook, Twitter, Instagram, LinkedIn, NextDoor, Pinterest and YouTube.



News Release

County Commission: Steve Sisolak, Chairman Chris Giunchigliani, Vice Chair Susan Brager Larry Brown James B. Gibson Marilyn Kirkpatrick Lawrence Weeldy

olanda King, County Manager

Office of Public Communications • (702) 455-3546 • FAX (702) 455-3558 • ***** Clark C

Contact: Kevin J MacDonald Public Information Officer

For Immediate Release

Phone: Mobile:

(702) 455-6131 (702) 232-0931 (702) 232-0931

Friday, July 27, 2018

Ozone Advisory for Friday Through Sunday

The Clark County Department of Air Quality is issuing an advisory for ground-level ozone pollution, effective Friday, July 27 – Sunday, July 29. In addition to local weather conditions, smoke from California wildfires moving into the region is also a factor this weekend.

Ozone is a colorless gas that exists naturally in the Earth's upper atmosphere. At ground level, ozone is a key ingredient of urban smog that can build up during the day in the hottest months of the year because of strong



sunlight, hot temperatures, gasoline and chemical vapors, and pollutants from automobiles, wildfires and regional transport. Exposure to ozone can irritate your respiratory system and cause coughing, a sore throat, chest pain and shortness of breath even in healthy people, according to the EPA.

HELPFUL TIPS TO REDUCE OZONE

Because cars, trucks and other vehicles are major contributors to ozone, people can follow these helpful, everyday tips to reduce ozone:

- Reduce driving combine errands into one trip.
- Don't idle your car engine unnecessarily.
- Use mass transit or carpool.
- Fill up your gas tank after sunset. Try not to spill gasoline when filling up and don't top off your tank.
- Keep your car well maintained.
- Consider landscaping that uses less water and gas-powered equipment to maintain.
- . Turn off lights and electronics when not in use. Less fuel burned at power plants means cleaner air.

Also, if you have respiratory issues or other health concerns, consider these tips during ozone season:

- Reduce the time you are active outdoors when ozone levels are elevated, especially if you are engaged in a strenuous activity or have a respiratory disease.
- · Schedule activities for the morning or evening when ozone levels are usually lower.
- · Substitute a less intense activity walking instead of jogging, for example.
- · Always consult your doctor first for medical advice.

[more]

Clark County news releases may be found at www.ClarkCounty.NV.gov.
You may also follow the County on more than 40 social media sites, including Facebook, Twitter, Instagram, LinkedIn, NextDoor, Pinterest and YouTube.

News Release

Clark County is a dynamic and innovative organization dedicated to providing top-quality service with integrity, respect and accountability. With jurisdiction over the world-famous Las Vegas Strip and covering an area the size of New Jersey, Clark is the nation's 14th-largest county and provides extensive regional services to more than 2.2 million citizens and 46.2 million visitors a year. Included are the nation's 8th-busiest airport, air quality compliance, social services and the state's largest public hospital, University Medical Center. The County also provides municipal services that are traditionally provided by cities to about 951,000 residents in the unincorporated area. Those include fire protection, roads and other public works, parks and recreation, and planning and development.

Clark County news releases may be found at www.ClarkCountyNV.gov. You may also follow the County on more than 40 social media sites, including Facebook, Twitter, Instagram, LinkedIn and YouTube.

APPENDIX C

Documentation of Public Comment Process

ITEMS TO BE INSERTED AT A LATER DATE.